



# GLOBAL INSTITUTE OF ENGINEERING & TECHNOLOGY

(Approved by AICTE & Affiliated to JNTUH)

Survey No. 179, Chilkur (V), Moinabad (M), Ranga Reddy Dist. TS.

Phone: 8790101015 / 9959250205

e-mail: [principal.giet.u6@gmail.com](mailto:principal.giet.u6@gmail.com)

JNTUH Code (U6)

CIVIL - CSE - MECH - ECE - EEE - MBA - M.Tech. EAMCET Code- GLOB

## Department of Computer Science and Engineering

**Mrs. M Jhansi Lakshmi**

M.Tech.,(Ph.D)

**Associate Professor & Head**

Lr.No: GIET/CSE/Brdg Cour/001/07/2016-17

Date 04/07/2016

To

The Principal  
Global Institute of Engineering and Technology  
Moinabad

Respected Sir,

Sub: Permission to Conduct Bridge Course for Students of CSE-II Year – reg.

\*\*\*\*\*

This is to get it to your kind notice that we Department of Computer Science and Engineering are interested to conduct a Bridge Course On **Operating System** to the students of CSE- II Year from 11/07/2016 to 16/07/2016, which is undertaken for students benefit as a value addition to curriculum of course.

These classes help students to strengthen their basics and bridge gap between intermediate and engineering. These classes give them a brief idea of Computer Science Engineering.

Kindly accord approval so as to make necessary arrangements for conducting the classes for students of Computer Science and Engineering –II Year – Academic Year: 2016-17.

Thanking you.

  
4/7/2016  
H.O.D

HEAD

Department of Computer Science & Engg.  
Global Institute of Engineering & Technology  
Chilkur (V), Moinabad (M), R.R. Dist.T.S.-501504.

**Cc to :**

**Director** – for information

**Dy. Director**- for information

**Dean** – for information

**Head H&S** - for information



# GLOBAL INSTITUTE OF ENGINEERING & TECHNOLOGY

(Approved by AICTE & Affiliated to JNTUH)

Survey No. 179, Chilkur (V), Moinabad (M), Ranga Reddy Dist. TS.

Phone: 08417-252233 / 253021

e-mail: [principal.giet.u6@gmail.com](mailto:principal.giet.u6@gmail.com)

JNTUH Code(U6) CIVIL – CSE – MECH – ECE – EEE – MBA – M.Tech. EAMCET Code– GLOB

## Department of Computer Science and Engineering

**Mrs. M Jhansi Lakshmi**

M.Tech.,(Ph.D)

**Associate Professor & Head**

Lr.No: GIET/CSE/Brdg Cour/006/07/2016-17

Date 07/07/2016

### CIRCULAR

All the students of CSE-II Year are informed to express their interest by enrolling their name for the One week Bridge course on “**Operating System**” starting from 11/07/2016 to 16/07/2016 . The detailed syllabus for the course is attached for your information. Concerned mentors are instructed to submit the list of students enrolled within two days to the undersigned. For further information, you can contact the Course Coordinator.

*H.L.*  
07/07/2016

**H.O.D**

**HEAD**

Department of Computer Science & Engg.  
Global Institute of Engineering & Technology  
Chilkur (V), Moinabad (M), R.R. Dist.T.S.-501504.

**Cc to :**

**Principal – for information**

**IQAC- for information**

**Mentor— for information**

**Head H&S - for information**

**Notice board**

**File**



# GLOBAL INSTITUTE OF ENGINEERING & TECHNOLOGY

(Approved by AICTE & Affiliated to JNTUH)

Survey No. 179, Chilkur (V), Moinabad (M), Ranga Reddy Dist. TS.

Phone: 08417-252233 / 253021

e-mail: [principal.giet.u6@gmail.com](mailto:principal.giet.u6@gmail.com)

JNTUH Code(U6) CIVIL – CSE – MECH – ECE – EEE – MBA – M.Tech. EAMCET Code– GLOB

## Department of Computer Science and Engineering

### COURSE SYLLABUS FOR “OPERATING SYSTEM”


S.no	Topics to delivered	Duration Class work +Lab Practice (in hours)
1	Introduction to operating system Basic functions of an operating system	6
2	Interrupt • Storage Structure: Introduction To Process	6
3	Process Synchronization: Critical Section Problem	6
4	Semaphores Deadlock	6
5	Storage Management: File Systems And Organization:	6
6	Security Program Threats	6

Coordinator

H.O.D

HEAD

Department of Computer Science & Engg,  
Global Institute of Engineering & Technology,  
Chilkur (V), Moinabad (M), R.R. Dist.T.S.-501504





# GLOBAL INSTITUTE OF ENGINEERING & TECHNOLOGY

(Approved by AICTE & Affiliated to JNTUH)

Survey No. 179, Chilkur (V), Moinabad (M), Ranga Reddy Dist. TS.

Phone: 08417-252233 / 253021

e-mail: [principal.giet.u6@gmail.com](mailto:principal.giet.u6@gmail.com)

JNTUH Code(U6)

CIVIL – CSE – MECH – ECE – EEE – MBA – M.Tech.

EAMCET Code– GLOB

## Department of Computer Science and Engineering

### LIST OF STUDENTS ENROLLED FOR BRIDGE COURSE

#### ACADEMIC YEAR: 2016-2017


S.No	Roll no	Name of the student	Year	Dept
1	15U61A0501	ALLADI MANISHA	II	CSE
2	15U61A0502	AMBATI BHARATHRAJ	II	CSE
3	15U61A0503	AMEENA JABEEN	II	CSE
4	15U61A0504	ANAS UR RAHMAN	II	CSE
5	15U61A0505	BOJJA AKHIL	II	CSE
6	15U61A0506	CHITLA NIKHIL	II	CSE
7	15U61A0508	FATIMA BEGUM	II	CSE
8	15U61A0509	GURRAM SHRAVYA	II	CSE
9	15U61A0511	KOTHAKURUMA PADMA	II	CSE
10	15U61A0512	L RAVI KUMAR	II	CSE
11	15U61A0514	M SHIVA KISHORE	II	CSE
12	15U61A0515	MD MUJTABA SIDDIQUI	II	CSE
13	15U61A0517	MD NOMAAN SADATH	II	CSE
14	15U61A0519	N SHRAVAN REDDY	II	CSE
15	15U61A0520	NAHID SABA	II	CSE
16	15U61A0522	SHAHEEN BEGUM	II	CSE
17	15U61A0523	SHAIK SHEREEN	II	CSE
18	15U61A0524	SYED HAJI	II	CSE
19	15U61A0526	TAUSEEF AKRAM	II	CSE

  
Coordinator

  
H.O.D

HEAD

Department of Computer Science & Engg.  
Global Institute of Engineering & Technology  
Chilkur (V), Moinabad (M), R.R. Dist.T.S.-501504.





# GLOBAL INSTITUTE OF ENGINEERING & TECHNOLOGY

(Approved by AICTE & Affiliated to JNTUH)

Survey No. 179, Chilkur (V), Moinabad (M), Ranga Reddy Dist. TS.

Phone: 08417-252233 / 253021

e-mail: principal.giet.u6@gmail.com

JNTUH Code(U6) CIVIL – CSE – MECH – ECE – EEE – MBA – M.Tech. EAMCET Code– GLOB

## Department of Computer Science and Engineering

Bridge Course

On

Operating System

(11<sup>th</sup> July to 16<sup>th</sup> July 2016 )

### PROGRAMME SCHEDULE

	Forenoon (FN)		Afternoon(AN)
Day1	INAUGURATION	Introduction to operating system Mr. Shivam Krishna Associate Professor, MGIT, Hyderabad.	Basic functions of an operating system
Day2	Interrupt • Storage Structure: Mr. Shivam Krishna Associate Professor, MGIT, Hyderabad.		Introduction To Process
Day3	Process Synchronization: Mr. Shivam Krishna Associate Professor, MGIT, Hyderabad.		Critical Section Problem
Day4	Semaphores: Mr. Kiran Shiva Asst. Professor Dept.of CSE CMREC Hyderabad.		Deadlock:
Day5	Storage Management: Mr. Kiran Shiva Asst. Professor Dept.of CSE CMREC Hyderabad.		File Systems And Organization:
Day6	Security Mr. Kiran Shiva Asst. Professor Dept.of CSE CMREC Hyderabad.		Program Threats

Coordinator  
Mrs. Sandhya Injeti  
Associate Professor  
Department of CSE



# GLOBAL INSTITUTE OF ENGINEERING & TECHNOLOGY

(Approved by AICTE & Affiliated to JNTUH)

Survey No. 179, Chilkur (V), Moimabad (M), Ranga Reddy Dist. TS.

Phone: 8790101015 / 9959250205

e-mail: [principal.giet.u6@gmail.com](mailto:principal.giet.u6@gmail.com)

JNTUH Code(U6)

CIVIL – CSE – MECH – ECE – EEE – MBA – M.Tech. EAMCET Code– GLOB

Department of Computer Science and Engineering

## ATTENDANCE SHEET OF BRIDGE COURSE "OPERATING SYSTEM"


S.No	Roll Number	Name of the Participant	Programme	Year	ATTENDANCE											
					Day-1 (11/07/2016)		Day-2 (12/07/2016)		Day-3 (13/07/2016)		Day-4 (14/07/2016)		Day-5 15/7/2016		Day-6 16/7/2016	
					FN	AN	FN	AN	FN	AN	FN	AN	FN	AN	FN	AN
1	15U61A0501	ALI LADI MANISHA	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
2	15U61A0502	AMBATI BHARATHRAJ	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
3	15U61A0503	AMEENA JABEEN	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
4	15U61A0504	ANAS UR RAHMAN	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
5	15U61A0505	BOIJA AKHIL	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
6	15U61A0506	CHITTLA NIKHIL	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
7	15U61A0508	FATIMA BEGUM	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
8	15U61A0509	GURRAM SHRAVYA	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
9	15U61A0511	KOTHAKURUMA PADMA	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
10	15U61A0512	L RAVI KUMAR	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
11	15U61A0514	MEERABOINA SHIVA KISHORE	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
12	15U61A0515	MOHAMMED MUTABA SIDDIQUI	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
13	15U61A0517	MOHAMMED NOMAAN SADATH	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
14	15U61A0519	NAGGARI SHRAVAN REDDY	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
15	15U61A0520	NAHID SABA	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
16	15U61A0522	SHAHEEN BEGUM	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
17	15U61A0523	SHAIK SHEREEN	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
18	15U61A0524	SYED HAJI	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
19	15U61A0526	TAUSEEF AKRAM	B.Tech	II	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓



HEAD

*[Signature]*

Department of Computer Science & Engg.  
Global Institute of Engineering & Technology  
Chilkur (V), Moimabad (M), R.R. Dist. T.S.-501503



# GLOBAL INSTITUTE OF ENGINEERING & TECHNOLOGY

(Approved by AICTE & Affiliated to JNTUH)

Survey No. 179, Chilkur (V), Moinebad (M), Ranga Reddy Dist. TS.

Phone: 08417-252233 / 253021

e-mail: principal.giet.u6@gmail.com

JNTUH Code(U6)


CIVIL - CSE - MECH - ECE - EEE - MBA - M.Tech.

EAMCET Code- GLOB

## Department of Computer Science and Engineering

### Attendance Sheet of Bridge course on " Operating System "

S.NO	H.T.No	NAME OF THE PARTICIPANT	Year	Dept	11/7/2016	12/7/2016	13/7/2016	14/7/2016	15/7/2016	16/7/2016	Total	Percentage
1	15U61A0501	ALLADI MANISHA	II	CSE	6	6	6	6	6	6	36	100
2	15U61A0502	AMBATI BHARATHRAJ	II	CSE	6	6	6	6	6	6	36	100
3	15U61A0503	AMBENA JABEEN	II	CSE	6	6	6	6	0	0	24	66.66666667
4	15U61A0504	ANAS UR RAHMAN	II	CSE	6	6	6	6	6	6	36	100
5	15U61A0505	BOJJA AKHIL	II	CSE	6	6	6	6	6	6	36	100
6	15U61A0506	CHITLA NIKHIL	II	CSE	6	6	6	6	6	6	36	100
7	15U61A0508	FATIMA BEGUM	II	CSE	6	0	6	6	6	6	30	83.33333333
8	15U61A0509	GURRAM SHRAVYA	II	CSE	6	6	6	6	0	0	24	66.66666667
9	15U61A0511	KOTHAKURUMA PADMA	II	CSE	6	6	6	6	6	6	36	100
10	15U61A0512	L RAVI KUMAR	II	CSE	6	6	6	6	6	6	36	100
11	15U61A0514	M SHIVA KISHORE	II	CSE	6	0	6	6	6	6	30	83.33333333
12	15U61A0515	MD MUJTABA SIDDIQUI	II	CSE	6	6	6	6	6	6	36	100
13	15U61A0517	MD NOMAAN SADATH	II	CSE	6	6	6	0	6	6	30	83.33333333
14	15U61A0519	NAGGARI SHRAVAN REDDY	II	CSE	6	6	6	6	6	6	36	100
15	15U61A0520	NAHID SABA	II	CSE	6	6	6	6	6	6	36	100
16	15U61A0522	SHAHEEN BEGUM	II	CSE	6	6	6	6	6	6	36	100
17	15U61A0523	SHAIK SHERBEN	II	CSE	6	6	0	6	6	6	30	83.33333333
18	15U61A0524	SYED HAJI	II	CSE	6	6	0	6	6	6	30	83.33333333
19	15U61A0526	TAUSEEF AKRAM	II	CSE	6	6	0	6	6	6	30	83.33333333



Department of Computer Science & Engineering  
 Global Institute of Engineering & Technology  
 Chilkur (V), Moinebad (M), R.R. Dist. T.S.-501504.

HEAD



# GLOBAL INSTITUTE OF ENGINEERING & TECHNOLOGY

(Approved by AICTE & Affiliated to JNTUH)

Survey No. 179, Chilkur (V), Moinabad (M), Ranga Reddy Dist. TS.

Phone: 08417-252233 / 253021

e-mail: [principal.giet.u6@gmail.com](mailto:principal.giet.u6@gmail.com)

JNTUH Code(U6) CIVIL – CSE – MECH – ECE – EEE – MBA – M.Tech. EAMCET Code– GLOB

## Department of Computer Science and Engineering

Bridge Course  
On  
Operating System  
(11<sup>th</sup> July – 16<sup>th</sup> July 2016)

### FEEDBACK FORM


Please evaluate your rating of the course by placing a tick in the appropriate box.

1. Poor 2. Satisfactory 3. Good 4. Very good 5. Excellent

Branch and Year: *CSE II year*

Date: *16/07/2016*

ASPECTS	RATING				
	Excellent 5	Very good 4	Good 3	Satisfactory 2	Poor 1
Relevance of contents	<input checked="" type="checkbox"/>				
Trainer was knowledgeable and skillful		<input checked="" type="checkbox"/>			
Quality of input provided	<input checked="" type="checkbox"/>				
Quality of presentations		<input checked="" type="checkbox"/>			
Adherence to the time schedule	<input checked="" type="checkbox"/>				
Opportunity given to participant to clear doubts		<input checked="" type="checkbox"/>			
Identify ways to build on current skills and knowledge	<input checked="" type="checkbox"/>				
Overall learning experience		<input checked="" type="checkbox"/>			
How has the course enhanced your skills or understanding of this topic?					
<i>yes helped so much</i>					
Specify problems faced by you during the course?					
<i>NO</i>					
Any Other Comments:					
<i>NO</i>					





## **GLOBAL INSTITUTE OF ENGINEERING & TECHNOLOGY**

(Approved by AICTE & Affiliated to JNTUH)

Survey No. 179, Chilkur (V), Moinabad (M), Ranga Reddy Dist. TS.

Phone: 08417-252233 / 253021

e-mail: [principal.giet.u6@gmail.com](mailto:principal.giet.u6@gmail.com)

JNTUH Code(U6) CIVIL – CSE – MECH – ECE – EEE – MBA – M.Tech. EAMCET Code– GLOB

**Department of Computer Science and Engineering**

---

*DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING*

# **BRIDGE COURSE**

**On**

**OPERATING SYSTEM**

**From**

**11-07-2016 to 16-07-2016**

**CSE-II**

**ACADEMIC YEAR-2016-17**

A Bridge course on 'Operating System' was organized by the Department of Computer Science and Engineering for CSE II Year. A one week Bridge course was held in the Room No 65 of from 11<sup>th</sup> July - 16<sup>th</sup> July 2016 and its objective was to further enhance and strengthen the technical skills of the students in Computer Science. The course was attended by 19 students (A.Y. 2016-17).

About Bridge Course: The Bridge Course is aimed to act as a buffer for the Students, with an objective to provide adequate time for the transition to hard-core engineering courses. During this interaction of bridge course week with the faculty and their classmates, the students will be equipped with the knowledge and the confidence needed to take on bigger challenges as future engineers of this country.

#### Objectives:

- To provide adequate time for the transition to hard-core engineering courses.
- Focus on fostering a strong sense of ethical judgment and moral fortitude.
- Applications based self-learning and intermingling of a large cross section of students from vastly varying backgrounds.
- The students will be equipped with the knowledge and the confidence needed to take on bigger challenges.
- Nurture a deeper understanding of the local and global world and our place in it as concerned citizens of the world.
- Interactive and Active Learning by Doing have been weaved into the Bridge Course.
- Active learning with the help of other students



HEAD

Department of Computer Science & Engg.  
Global Institute of Engineering & Technology  
Chilkur (V), Moinsabad (M), R.R. Dist.T.S.-501504.

## DAY 1:

### INTRODUCTION TO OPERATING SYSTEM:

Computer software can be divided into two main categories: application software and system software. Application software consists of the programs for performing tasks particular to the machine's utilization. Examples of application software include spreadsheets, database systems, desktop publishing systems, program development software, and games."

The most important type of system software is the operating system. An operating system has three main responsibilities:

- i) Perform basic tasks, such as recognizing input from the keyboard, sending output to the display screen, keeping track of files and directories on the disk, and controlling peripheral devices such as disk drives and printers.
- ii) Ensure that different programs and users running at the same time do not interfere with each other.
- iii) Provide a software platform on top of which other programs (i.e., application software) can run.

#### The basic functions of an operating system are as follows:

- File management--analogous to the file cabinet and its use
- Working with the Files--analogous to picking up and preparing to use a calculator or some other tool
- Configuration of your working environment--analogous to shifting your desk around to suit you better.

An OS is a program that acts as an intermediary between a user of a computer and the computer hardware

**Goals:** Execute user programs, make the comp. system easy to use, utilize hardware efficiently

**Computer system:** Hardware ↔ OS ↔ Applications ↔ Users (↔ = 'uses')

**Resource allocator:** decides between conflicting requests for efficient and fair resource use


**Control program:** controls execution of programs to prevent errors and improper use of computer

**Kernel:** the one program running at all times on the computer

**Bootstrap program:** loaded at power-up or reboot Stored in ROM or EPROM (known as firmware), Initializes all aspects of system, loads OS kernel and starts execution I/O and CPU can execute concurrently

Device controllers inform CPU that it is finished w/ operation by causing an interrupt

Interrupt transfers control to the interrupt service routine generally, through the interrupt vector, which contains the addresses of all the service routines ,Incoming interrupts are disabled

  
HEAD  
Department of Computer Science & Engg.  
Grieco Institute of Engineering & Technology  
Chilukuri (V), Andhra Pradesh (M), R.R. Dist. T.S.-501504.

while another interrupt is being processed. Trap is a software generated interrupt caused by error or user request

OS determines which type of interrupt has occurred by polling or the vectored interrupt system

**System call:** request to the operating system to allow user to wait for I/O completion

**Device-status table:** contains entry for each I/O device indicating its type, address, and state

OS indexes into the I/O device table to determine device status and to modify the table entry to include

## DAY 2:

### INTERRUPT • STORAGE STRUCTURE:

Main memory – random access, volatile      ◦ Secondary storage – extension of main memory

That provides large non-volatile storage

**Disk** – divided into tracks which are subdivided into sectors. Disk controller determines logical interaction between the device and the computer.

**Caching** – copying information into faster storage system

Multiprocessor Systems: Increased throughput, economy of scale, increased reliability, can be asymmetric or symmetric, clustered systems – Linked multiprocessor systems

**Multiprogramming** – Provides efficiency via job scheduling when OS has to wait (ex: for I/O), switches to another job

**Timesharing** – CPU switches jobs so frequently that each user can interact with each job while it is running (interactive computing)

Dual-mode operation allows OS to protect itself and other system components – User mode and kernel mode, some instructions are only executable in kernel mode, these

are privileged • Single-threaded processes have one program counter, multi-threaded processes have one PC per thread


**Protection** – mechanism for controlling access of processes or users to resources defined by the OS

**Security** – defense of a system against attacks, User IDs (UID), one per user, and Group IDs, determine which users and groups of users have which privileges

### Process:

Process is defined as a program in execution and is the unit of work in a modern timesharing system. Such a system consists of a collection of processes: Operating-system processes executing system code and user processes executing user code. All these processes can potentially execute concurrently, with the CPU (or CPUs) multiplexed among them. By switching the CPU between processes, the operating system can make the computer more productive.

A process is more than the program code, it includes the program counter, the process stack, and the contents of process register etc. The purpose of process stack is to store temporary data, such as subroutine parameters, return address and temporary variables. All these information will be stored in Process Control Block (PCB). The Process control block is a record containing many pieces of information associated with a process including process state, program counter, cpu registers, memory management information, accounting information, I/O status information, cpu scheduling information, memory limits, and list of open files.

  
HEAD  
Department of Computer Science & Engineering  
Global Institute of Engineering & Technology  
Gulbarga (V), Malavalli (M), R.R. Dist. T.S.-507504

- **Random numbers** – Users are provided cards having numbers printed along with corresponding alphabets. System asks for numbers corresponding to few alphabets randomly chosen.
- **Secret key** – User are provided a hardware device which can create a secret id mapped with user id. System asks for such secret id which is to be generated every time prior to login.
- **Network password** – Some commercial applications send one-time passwords to user on registered mobile/ email which is required to be entered prior to login.

### Program Threats

Operating system's processes and kernel do the designated task as instructed. If a user program made these process do malicious tasks, then it is known as **Program Threats**. One of the common example of program threat is a program installed in a computer which can store and send user credentials via network to some hacker. Following is the list of some well-known program threats.

- **Trojan Horse** – Such program traps user login credentials and stores them to send to malicious user who can later on login to computer and can access system resources.
- **Trap Door** – If a program which is designed to work as required, have a security hole in its code and perform illegal action without knowledge of user then it is called to have a trap door.
- **Logic Bomb** – Logic bomb is a situation when a program misbehaves only when certain conditions met otherwise it works as a genuine program. It is harder to detect.
- **Virus** – Virus as name suggest can replicate themselves on computer system. They are highly dangerous and can modify/delete user files, crash systems. A virus is generally a small code embedded in a program. As user accesses the program, the virus starts getting embedded in other files/ programs and can make system unusable for user

### System Threats

System threats refer to misuse of system services and network connections to put user in trouble. System threats can be used to launch program threats on a complete network called as program attack. System threats create such an environment that operating system resources/ user files are misused. Following is the list of some well-known system threats.

- **Worm** – Worm is a process which can choked down a system performance by using system resources to extreme levels. A Worm process generates its multiple copies where each copy uses system resources, prevents all other processes to get required resources. Worms processes can even shut down an entire network.
- **Port Scanning** – Port scanning is a mechanism or means by which a hacker can detects system vulnerabilities to make an attack on the system.
- **Denial of Service** – Denial of service attacks normally prevents user to make legitimate use of the system. For example, a user may not be able to use internet if denial of service attacks browser's content settings.

## DAY 3:

### PROCESS SYNCHRONIZATION:

#### Introduction to process synchronization

Process synchronization will be clear with the following example. Consider the code for consumer and producer as follows

#### Producer

```
while(1)
{
    while(counter == buffersize);
    buffer[in]=nextproduced;
    in = (in+1) %
    buffersize; counter ++;
}
```

#### Consumer

```
while(1)
{
    while(counter == 0);
    nextconsumed = buffer[out];
    out = (out+1) % buffersize;
    counter --;
}
```

Both the codes are correct separately but will not function correctly when executed concurrently. This is because the counter++ may be executed in machine language as three separate statements as

```
register1 = counter
register1 = register1 + 1
counter = register1
and the counter- - as
register2 = counter
register2 = register2 - 1
counter = register2
```

The execution of these statements for the two processes may lead to the following condition for

*the*  
HEAD  
Department of Computer Science & Engg.  
Jawahar Institute of Technology & Management  
Chittoor (A.P.) - 751002 (Dist. N.T.S. District No. 20)

example.

- a) producer execute register1 = counter (register1 =5)
- b) producer execute register1 = register1 + 1 (register1 =6)
- c) consumer execute register2= counter (register2 =5)
- d) consumer execute register2 = register2 - 1 (register2 =4)
- e) producer execute counter = register1 (counter =6)
- f) consumer execute counter = register2 (counter =4)

You can see that the answer counter =4 is wrong as there are 5 full buffers.

A situation like this, where several processes access and manipulate the same data concurrently and the outcome of the execution depends on the particular order in which the access take place, is called a race condition. For this we have to make sure that only one process at a time should manipulate the counter. Such situation occurs frequently in OS and we require some form of synchronization of processes.

### CRITICAL SECTION PROBLEM

Each process will be having a segment of code called a critical section, in which the process may be changing a common variable, updating a table, writing a file, and so on.

```
do
{
    entry section
    critical section
    exit section
    reminder section
} while(1);
```

A solution should satisfy the following three requirements

- a) Mutual exclusion:** If a process is executing in its critical section, then no other processes can be executing in their critical sections
- b) Progress:** If no process is executing in its critical section and some processes wish to enter their critical sections, then only those processes that are not executing in their remainder section can participate in the decision on which will enter its critical section next, and this selection cannot be postponed indefinitely.
- c) Bounded waiting:** There exists a bound on the number of times that other processes are allowed to enter their critical sections after a process has made a request to enter its critical section and before that request is granted.

*[Handwritten signature and faint watermark text]*

- b) program. Examples are first fit, best fit and worst fit
- c) Replacement strategies – concerned with determining which piece of program or data to replace to make place for incoming programs


## FILE SYSTEMS AND ORGANIZATION:

In computing, a file system (often also written as file system) is a method for storing and organizing computer files and the data they contain to make it easy to find and access them. File systems may use a data storage device such as a hard disk or CD-ROM and involve maintaining the physical location of the files, they might provide access to data on a file server by acting as clients for a network protocol (e.g., NFS, SMB, or 9P clients), or they may be virtual and exist only as an access method for virtual data. More formally, a file system is a set of abstract data types that are implemented for the storage, hierarchical organization, manipulation, navigation, access, and retrieval of data. File systems share much in common with database technology, but it is debatable whether a file system can be classified as a special-purpose database (DBMS).

## UNIX:

The Unix operating system was created more than 30 years ago by a group of researchers at AT&T's Bell Laboratories. During the three decades of constant development that have followed, Unix has found a home in many places, from the ubiquitous mainframe to home computers to the smallest of embedded devices. This lesson provides a brief overview of the history of Unix, discusses some of the differences among the many Unix systems in use today, and covers the fundamental concepts of the basic Unix operating system.

UNIX is a computer operating system, a control program that works with users to run programs, manage resources, and communicate with other computer systems. Several people can use a UNIX computer at the same time; hence UNIX is called a *multiuser* system. Any of these users can also run multiple programs at the same time; hence UNIX is called *multitasking*. Because UNIX is such a pastiche—a patchwork of development—it's a lot more than just an operating system. UNIX has more than 250 individual commands. These range from simple commands—for copying a file, for example—to the quite complex: those used in high-speed networking, file revision management, and software development. Most notably, UNIX is a multichoice system. As an example, UNIX has three different primary command-line-based user interfaces (in UNIX, the command-line user

  
HEAD  
Department of Computer Science & Engg.  
Global Institute of Engineering & Technology  
Chitkur (V), Mahabub (M), Dist. T.S.-501504.

## DAY 4:

### SEMAPHORES:

The solution described in the above section cannot be generalized most of the times. To overcome this, we have a synchronization tool called a semaphore proposed by Dijkstra. Semaphores are a pair composed of an integer variable that apart from initialization is accessed only through two standard atomic operations: wait and signal.

**wait:** decrease the counter by one; if it gets negative, block the process and enter its id in the queue.

**signal:** increase the semaphore by one; if it's still negative, unblock the first process of the queue, removing its id from the queue itself.

```
wait(S)
{
    while(S<=0)
        ; S --;
}
```

```
signal(S)
{
    S++;
}
```

### DEADLOCK:

State of deadlock (or is deadlocked) if the process or thread is waiting for a particular event that will not occur. In a system deadlock, one or more processes are deadlocked. Most deadlocks develop because of the normal contention for dedicated resources (i.e., resources that may be used by only one user at a time). Circular wait is characteristic of deadlocked systems.

One example of a system that is prone to deadlock is a spooling system. A common solution is to restrain the input spoolers so that, when the spooling files begin to reach some saturation threshold, they do not read in more print jobs. Today's systems allow printing to begin before the job is completed so that a full, or nearly full, spooling file can be emptied or partially cleared even while a job is still executing. This concept has been applied to streaming audio and video clips, where the audio and video begin to play before the clips are fully downloaded.

In any system that keeps processes waiting while it makes resource-allocation and process scheduling decisions, it is possible to delay indefinitely the scheduling of a process while other processes receive the system's attention. This situation, variously called indefinite postponement may occur because of biases in a system's resource scheduling policies. Some systems prevent

*Handwritten signature*  
Department of Computer Science & Engineering  
CIT, Amravati  
2017-18

indefinite postponement by increasing a process's priority as it waits for a resource—this technique is called aging.

Resources can be preemptable (e.g., processors and main memory), meaning that they can be removed from a process without loss of work, or nonpreemptible meaning that they (e.g., tape drives and optical scanners), cannot be removed from the processes to which they are assigned. Data and programs certainly are resources that the operating system must control and allocate. Code that cannot be changed while in use is said to be reentrant. Code that may be changed but is reinitialized each time it is used is said to be serially reusable.

Reentrant code may be shared by several processes simultaneously, whereas serially reusable code may be used by only one process at a time. When we call particular resources shared, we must be careful to state whether they may be used by several processes simultaneously or by only one of several processes at a time. The latter kind—serially reusable resources—are the ones that tend to become involved in deadlocks.

### **CHARACTERISTICS OF DEADLOCK**

The four necessary conditions for deadlock are:

- a) A resource may be acquired exclusively by only one process at a time (mutual exclusion condition);
- b) A process that has acquired an exclusive resource may hold it while waiting to obtain other resources (wait-for condition, also called the hold-and-wait condition);
- c) Once a process has obtained a resource, the system cannot remove the resource from the process's control until the process has finished using the resource (no-preemption condition);
- d) And two or more processes are locked in a "circular chain" in which each process in the chain is waiting for one or more resources that the next process in the chain is holding (circular-wait condition).

## **DAY 5:**

### **STORAGE MANAGEMENT:**

The organization and management of the main memory or primary memory or real memory of a computer system has been one of the most important factors influencing operating systems design. Regardless of what storage organization scheme we adopt for a particular system, we must decide what strategies to use to obtain optimal performance.

Storage Management Strategies are of four types as described below

Fetch strategies – concerned with when to obtain the next piece of program or data for transfer to main storage from secondary storage

a. Demand fetch – in which the next piece of program or data is brought into the main storage when it is referenced by a running program  
Anticipatory fetch strategies – where we make guesses about the future program control which will yield improved system performance

a) Placement strategies – concerned with determining where in main storage to place and incoming

## DAY 6:

### SECURITY

Security refers to providing a protection system to computer system resources such as CPU, memory, disk, software programs and most importantly data/information stored in the computer system. If a computer program is run by an unauthorized user, then he/she may cause severe damage to computer or data stored in it. So a computer system must be protected against unauthorized access, malicious access to system memory, viruses, worms etc. We're going to discuss following topics in this chapter.

- Authentication
- One Time passwords
- Program Threats
- System Threats
- Computer Security Classifications


### Authentication

Authentication refers to identifying each user of the system and associating the executing programs with those users. It is the responsibility of the Operating System to create a protection system which ensures that a user who is running a particular program is authentic. Operating Systems generally identifies/authenticates users using following three ways –

- **Username / Password** – User need to enter a registered username and password with Operating system to login into the system.
- **User card/key** – User need to punch card in card slot, or enter key generated by key generator in option provided by operating system to login into the system.
- **User attribute - fingerprint/ eye retina pattern/ signature** – User need to pass his/her attribute via designated input device used by operating system to login into the system.

### One Time passwords

One-time passwords provide additional security along with normal authentication. In One-Time Password system, a unique password is required every time user tries to login into the system. Once a one-time password is used, then it cannot be used again. One-time password are implemented in various ways.

  
Department of Computer Science & Engg.  
Global Institute of Engineering & Technology  
Chennai (V), Mambach (M), R.P. Dist. T.S. - 501 504